

PATENT COOPERATION TREATY

From the INTERNATIONAL BUREAU

PCT

NOTIFICATION OF ELECTION

(PCT Rule 61.2)

To:

Assistant Commissioner for Patents
United States Patent and Trademark
Office
Box PCT
Washington, D.C. 20231
ÉTATS-UNIS D'AMÉRIQUE

in its capacity as elected Office

Date of mailing (day/month/year) 26 August 1999 (26.08.99)	
International application No. PCT/IB99/00280	Applicant's or agent's file reference PDC/AB/20431
International filing date (day/month/year) 08 February 1999 (08.02.99)	Priority date (day/month/year) 16 February 1998 (16.02.98)
Applicant HAMERY, Dominique et al	

1. The designated Office is hereby notified of its election made:

☒ in the demand filed with the International Preliminary Examining Authority on:

05 August 1999 (05.08.99)

☐ in a notice effecting later election filed with the International Bureau on:
2. The election ☒ was
☐ was not

made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

<p>The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland</p> <p>Facsimile No.: (41-22) 740.14.35</p>	<p>Authorized officer S. Mafla</p> <p>Telephone No.: (41-22) 338.83.38</p>
--	--

PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference PDC/1B/20431	FOR FURTHER ACTION see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.	
International application No. PCT/IB 99/ 00280	International filing date (day/month/year) 08/02/1999	(Earliest) Priority Date (day/month/year) 16/02/1998
Applicant CANAL+ S.A.		

This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article-18. A copy is being transmitted to the International Bureau.

This International Search Report consists of a total of 3 sheets.
☒ It is also accompanied by a copy of each prior art document cited in this report.

1. **Basis of the report**

a. With regard to the **language**, the international search was carried out on the basis of the international application in the language in which it was filed, unless otherwise indicated under this item.

☐ the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)).

b. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international search was carried out on the basis of the sequence listing :

☐ contained in the international application in written form.

☐ filed together with the international application in computer readable form.

☐ furnished subsequently to this Authority in written form.

☐ furnished subsequently to this Authority in computer readable form.

☐ the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.

☐ the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.

2. ☐ **Certain claims were found unsearchable** (See Box I).

3. ☐ **Unity of invention is lacking** (see Box II).

4. With regard to the **title**,

☒ the text is approved as submitted by the applicant.

☐ the text has been established by this Authority to read as follows:

5. With regard to the **abstract**,

☒ the text is approved as submitted by the applicant.

☐ the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.

6. The figure of the **drawings** to be published with the abstract is Figure No. 5

☐ as suggested by the applicant.

☐ because the applicant failed to suggest a figure.

☒ because this figure better characterizes the invention.

☐ None of the figures.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/IB 99/00280

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 H04N/52 G09G5/06

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 H04N G09G

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	PATENT ABSTRACTS OF JAPAN vol. 098, no. 006, 30 April 1998 & JP 10 042149 A (FUJI XEROX CO LTD), 13 February 1998 see abstract ---	1,13
A	"LOOK-UP-TABLE CONFIGURATION" IBM TECHNICAL DISCLOSURE BULLETIN, vol. 37, no. 2B, 1 February 1994, page 471/472 XP000433915 ---	1-13
A	WO 96 19077 A (PHILIPS ELECTRONICS NV ;PHILIPS NORDEN AB (SE)) 20 June 1996 see abstract -----	1-13

☐ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

29 April 1999

Date of mailing of the international search report

11/05/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2

NL - 2280 HV Rijswijk

Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,

Fax: (+31-70) 340-3016

Authorized officer

Raeymaekers, P

Information on patent family members

PCT/IB 99/00280

Form PCT/ISA/210 (patent family annex) (July 1992)

From the
INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

To:

COZENS, P.D.
MATHYS & SQUIRE
100 Gray's Inn Road
London WC1X 8AL
GRANDE BRETAGNE

- 7 FEB 2000
REPLY DATE 7/3/2000
PCT Report IPEA
DIARY ENTERED

NOTIFICATION OF TRANSMITTAL OF
THE INTERNATIONAL PRELIMINARY
EXAMINATION REPORT
(PCT Rule 71.1)

Date of mailing
(day/month/year) 04.02.2000

Applicant's or agent's file reference
PDC/AB/20431

IMPORTANT NOTIFICATION

International application No.
PCT/IB99/00280

International filing date (day/month/year)
08/02/1999

Priority date (day/month/year)
16/02/1998

Applicant
CANAL+ SOCIETE ANONYME et al.

1. The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary examination report and its annexes, if any, established on the international application.
2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
3. Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.

4. REMINDER

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices) (Article 39(1)) (see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

Name and mailing address of the IPEA/

 European Patent Office
D-80298 Munich
Tel. +49 89 2399 - 0 Tx: 523656 epmu d
Fax: +49 89 2399 - 4465

Authorized officer

Stannartz, B


Tel. +49 89 2399-8553



PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference PDC/AB/20431		FOR FURTHER ACTION See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)	
International application No. PCT/IB99/00280	International filing date (day/month/year) 08/02/1999	Priority date (day/month/year) 16/02/1998	
International Patent Classification (IPC) or national classification and IPC H04N7/52			
Applicant CANAL+ SOCIETE ANONYME et al.			
<p>1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.</p> <p>2. This REPORT consists of a total of 6 sheets, including this cover sheet.</p> <p><input type="checkbox"/> This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).</p> <p>These annexes consist of a total of sheets.</p>			
<p>3. This report contains indications relating to the following items:</p> <ul style="list-style-type: none"> I <input checked="" type="checkbox"/> Basis of the report II <input type="checkbox"/> Priority III <input checked="" type="checkbox"/> Non-establishment of opinion with regard to novelty, inventive step and industrial applicability IV <input type="checkbox"/> Lack of unity of invention V <input checked="" type="checkbox"/> Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement VI <input type="checkbox"/> Certain documents cited VII <input checked="" type="checkbox"/> Certain defects in the international application VIII <input checked="" type="checkbox"/> Certain observations on the international application 			
Date of submission of the demand 05/08/1999		Date of completion of this report 04.02.2000	
Name and mailing address of the international preliminary examining authority:  European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d Fax: +49 89 2399 - 4465		Authorized officer lbruegger, J Telephone No. +49 89 2399 8978	



**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT**

International application No. PCT/IB99/00280

I. Basis of the report

1. This report has been drawn on the basis of (*substitute sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to the report since they do not contain amendments.*):

Description, pages:

1-18 as originally filed

Claims, No.:

1-15 as originally filed

Drawings, sheets:

1/4-4/4 as originally filed

2. The amendments have resulted in the cancellation of:

- ☐ the description, pages:
☐ the claims, Nos.:
☐ the drawings, sheets:

3. ☐ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)):

4. Additional observations, if necessary:

III. Non-establishment of opinion with regard to novelty, inventive step and industrial applicability

The questions whether the claimed invention appears to be novel, to involve an inventive step (to be non-obvious), or to be industrially applicable have not been examined in respect of:

- ☐ the entire international application.
☒ claims Nos. 14,15.

because:

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT**

International application No. PCT/IB99/00280

☐ the said international application, or the said claims Nos. relate to the following subject matter which does not require an international preliminary examination (*specify*):

☒ the description, claims or drawings (*indicate particular elements below*) or said claims Nos. 14,15 are so unclear that no meaningful opinion could be formed (*specify*):

see separate sheet

☐ the claims, or said claims Nos. are so inadequately supported by the description that no meaningful opinion could be formed.

☐ no international search report has been established for the said claims Nos. .

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)	Yes:	Claims	1-13
	No:	Claims	
Inventive step (IS)	Yes:	Claims	1-13
	No:	Claims	
Industrial applicability (IA)	Yes:	Claims	1-13
	No:	Claims	

2. Citations and explanations

see separate sheet

VII. Certain defects in the international application

The following defects in the form or contents of the international application have been noted:

see separate sheet

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT**

International application No. PCT/IB99/00280

VIII. Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

see separate sheet

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT - SEPARATE SHEET**

International application No. PCT/IB99/00280

A. ITEM III.

1) As to claims 14 and 15, no opinion can be given because the definition of the subject-matter lacks clarity (see under D. hereinafter) due to a complete absence of technical features in its definition.

B. ITEM V.

2) The application relates to decoding and storage of audiovisual data.

3) The invention as defined in independent claims 1 and 13 starts from a processor which decompresses and displays compressed digital picture data, which belongs to the general knowledge of the skilled person working in the technical field of image data compression.

4) The subject-matter of claims 1 and 13 is distinguished from what is generally known to the skilled person in that the processor decompresses and stores an image file in its original format and subsequently converts the image file to a second format, the first and second format being stored in the memory contemporaneously.

5) The claimed subject-matter provides the advantage that the limited memory space available in a decoder environment can be handled to convert and display image files in a plurality of formats.

6) The documents cited in the International Search Report disclose background art and do not provide a hint which would give an incentive to the skilled person to convert the decompressed image file to a second format and store it in the memory contemporaneously.

7) For these reasons, independent claims 1 and 13 meet the requirements of Article 33(2) and 33(3) PCT.

8) Dependent claims 2-12 meet the requirements of Article 33(2) and 33(3) PCT in conjunction with claim 1.

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT - SEPARATE SHEET**

International application No. PCT/IB99/00280

10) The subject-matter of claims 1 to 13 is industrially applicable so that the requirements of Article 33(4) PCT are met.

B. ITEM VII.

11) The features of the claims are not provided with reference signs placed in parentheses (Rule 6.2(b) PCT).

12) Line 14 of page 16 comprises a clerical error ("*pixmat*").

13) Drawing sheet 2/4 comprises a clerical error ("*demultiplexeur*").

C. ITEM VIII.

14) Claims 14 and 15 do not meet the requirements of Rule 6.2(a) PCT because the claims comprise a reference to the description.

15) Claims 14 and 15 are not clear because the subject-matter is not defined in terms of technical features so that the requirements of Article 6/Rule 6 PCT are not met.

PATENT COOPERATION TREATY

From the INTERNATIONAL SEARCHING AUTHORITY

PCT

NOTIFICATION OF TRANSMITTAL OF
THE INTERNATIONAL SEARCH REPORT
OR THE DECLARATION

(PCT Rule 44.1)

To:
MATHYS & SQUIRE
Attn. COZENS, P.D.
100 Gray's Inn Road
London WC1X 8AL
UNITED KINGDOM

Date of mailing (day/month/year)	11/05/1999
-------------------------------------	------------

Applicant's or agent's file reference PDC/1B/20431	FOR FURTHER ACTION See paragraphs 1 and 4 below
--	--

International application No. PCT/IB 99/ 00280	International filing date (day/month/year) 08/02/1999
--	---

Applicant CANAL+ S.A.

1. ☒ The applicant is hereby notified that the International Search Report has been established and is transmitted herewith.

Filing of amendments and statement under Article 19:

The applicant is entitled, if he so wishes, to amend the claims of the International Application (see Rule 46):

When? The time limit for filing such amendments is normally 2 months from the date of transmittal of the International Search Report; however, for more details, see the notes on the accompanying sheet.

Where? Directly to the International Bureau of WIPO
34, chemin des Colombettes
1211 Geneva 20, Switzerland
Facsimile No.: (41-22) 740.14.35

For more detailed instructions, see the notes on the accompanying sheet.

2. ☐ The applicant is hereby notified that no International Search Report will be established and that the declaration under Article 17(2)(a) to that effect is transmitted herewith.

3. ☐ With regard to the protest against payment of (an) additional fee(s) under Rule 40.2, the applicant is notified that:

☐ the protest together with the decision thereon has been transmitted to the International Bureau together with the applicant's request to forward the texts of both the protest and the decision thereon to the designated Offices.


☐ no decision has been made yet on the protest; the applicant will be notified as soon as a decision is made.

4. **Further action(s):** The applicant is reminded of the following:

Shortly after **18 months** from the priority date, the international application will be published by the International Bureau. If the applicant wishes to avoid or postpone publication, a notice of withdrawal of the international application, or of the priority claim, must reach the International Bureau as provided in Rules 90bis.1 and 90bis.3, respectively, before the completion of the technical preparations for international publication.

Within **19 months** from the priority date, a demand for international preliminary examination must be filed if the applicant wishes to postpone the entry into the national phase until 30 months from the priority date (in some Offices even later).

Within **20 months** from the priority date, the applicant must perform the prescribed acts for entry into the national phase before all designated Offices which have not been elected in the demand or in a later election within 19 months from the priority date or could not be elected because they are not bound by Chapter II.

Name and mailing address of the International Searching Authority  European Patent Office, P.B. 5818 Patentlaan 2 NL-2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer Hans Pettersson
--	--

NOTES TO FORM PCT/ISA/220

These Notes are intended to give the basic instructions concerning the filing of amendments under article 19. The Notes are based on the requirements of the Patent Cooperation Treaty, the Regulations and the Administrative Instructions under that Treaty. In case of discrepancy between these Notes and those requirements, the latter are applicable. For more detailed information, see also the PCT Applicant's Guide, a publication of WIPO.

In these Notes, "Article", "Rule", and "Section" refer to the provisions of the PCT, the PCT Regulations and the PCT Administrative Instructions respectively.

INSTRUCTIONS CONCERNING AMENDMENTS UNDER ARTICLE 19

The applicant has, after having received the international search report, one opportunity to amend the claims of the international application. It should however be emphasized that, since all parts of the international application (claims, description and drawings) may be amended during the international preliminary examination procedure, there is usually no need to file amendments of the claims under Article 19 except where, e.g. the applicant wants the latter to be published for the purposes of provisional protection or has another reason for amending the claims before international publication. Furthermore, it should be emphasized that provisional protection is available in some States only.

What parts of the international application may be amended?

Under Article 19, only the claims may be amended.

During the international phase, the claims may also be amended (or further amended) under Article 34 before the International Preliminary Examining Authority. The description and drawings may only be amended under Article 34 before the International Examining Authority.

Upon entry into the national phase, all parts of the international application may be amended under Article 28 or, where applicable, Article 41.

When?

Within 2 months from the date of transmittal of the international search report or 16 months from the priority date, whichever time limit expires later, it should be noted, however, that the amendments will be considered as having been received on time if they are received by the International Bureau after the expiration of the applicable time limit but before the completion of the technical preparations for international publication (Rule 46.1).

Where not to file the amendments?

The amendments may only be filed with the International Bureau and not with the receiving Office or the International Searching Authority (Rule 46.2).

Where a demand for international preliminary examination has been/is filed, see below.

How?

Either by cancelling one or more entire claims, by adding one or more new claims or by amending the text of one or more of the claims as filed.

A replacement sheet must be submitted for each sheet of the claims which, on account of an amendment or amendments, differs from the sheet originally filed.

All the claims appearing on a replacement sheet must be numbered in Arabic numerals. Where a claim is cancelled, no renumbering of the other claims is required. In all cases where claims are renumbered, they must be renumbered consecutively (Administrative Instructions, Section 205(b)).

The amendments must be made in the language in which the international application is to be published.

What documents must/may accompany the amendments?

Letter (Section 205(b)):

The amendments must be submitted with a letter.

The letter will not be published with the international application and the amended claims. It should not be confused with the "Statement under Article 19(1)" (see below, under "Statement under Article 19(1)").

The letter must be in English or French, at the choice of the applicant. However, if the language of the international application is English, the letter must be in English; if the language of the international application is French, the letter must be in French.

NOTES TO FORM PCT/ISA/220 (continued)

The letter must indicate the differences between the claims as filed and the claims as amended. It must, in particular, indicate, in connection with each claim appearing in the international application (it being understood that identical indications concerning several claims may be grouped), whether

- (i) the claim is unchanged;
- (ii) the claim is cancelled;
- (iii) the claim is new;
- (iv) the claim replaces one or more claims as filed;
- (v) the claim is the result of the division of a claim as filed.

The following examples illustrate the manner in which amendments must be explained in the accompanying letter:

1. [Where originally there were 48 claims and after amendment of some claims there are 51]:
"Claims 1 to 29, 31, 32, 34, 35, 37 to 48 replaced by amended claims bearing the same numbers; claims 30, 33 and 36 unchanged; new claims 49 to 51 added."
2. [Where originally there were 15 claims and after amendment of all claims there are 11]:
"Claims 1 to 15 replaced by amended claims 1 to 11."
3. [Where originally there were 14 claims and the amendments consist in cancelling some claims and in adding new claims]:
"Claims 1 to 6 and 14 unchanged; claims 7 to 13 cancelled; new claims 15, 16 and 17 added." or
"Claims 7 to 13 cancelled; new claims 15, 16 and 17 added; all other claims unchanged."
4. [Where various kinds of amendments are made]:
"Claims 1-10 unchanged; claims 11 to 13, 18 and 19 cancelled; claims 14, 15 and 16 replaced by amended claim 14; claim 17 subdivided into amended claims 15, 16 and 17; new claims 20 and 21 added."

"Statement under article 19(1)" (Rule 46.4)

The amendments may be accompanied by a statement explaining the amendments and indicating any impact that such amendments might have on the description and the drawings (which cannot be amended under Article 19(1)).

The statement will be published with the international application and the amended claims.

It must be in the language in which the international application is to be published.

It must be brief, not exceeding 500 words if in English or if translated into English.

It should not be confused with and does not replace the letter indicating the differences between the claims as filed and as amended. It must be filed on a separate sheet and must be identified as such by a heading, preferably by using the words "Statement under Article 19(1)."

It may not contain any disparaging comments on the international search report or the relevance of citations contained in that report. Reference to citations, relevant to a given claim, contained in the international search report may be made only in connection with an amendment of that claim.

Consequence if a demand for international preliminary examination has already been filed

If, at the time of filing any amendments under Article 19, a demand for international preliminary examination has already been submitted, the applicant must preferably, at the same time of filing the amendments with the International Bureau, also file a copy of such amendments with the International Preliminary Examining Authority (see Rule 62.2(a), first sentence).

Consequence with regard to translation of the international application for entry into the national phase

The applicant's attention is drawn to the fact that, where upon entry into the national phase, a translation of the claims as amended under Article 19 may have to be furnished to the designated/elected Offices, instead of, or in addition to, the translation of the claims as filed.

For further details on the requirements of each designated/elected Office, see Volume II of the PCT Applicant's Guide.

09/622245
526 Rec'd PCT/PTO 15 AUG 2000

**APPLICATION
FOR
UNITED STATES LETTERS PATENT**

**TITLE: PROCESSING OF GRAPHICAL DIGITAL PICTURE DATA IN A
DECODER**

APPLICANTS: Dominique HAMERY and Jerome MERIC

"EXPRESS MAIL" Mailing Label Number: EL521607466US
Date of Deposit: August 15, 2000

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : H04N 7/52, G09G 5/06		A1	(11) International Publication Number: WO 99/41913
			(43) International Publication Date: 19 August 1999 (19.08.99)
(21) International Application Number: PCT/IB99/00280 (22) International Filing Date: 8 February 1999 (08.02.99) (30) Priority Data: 98400369.9 16 February 1998 (16.02.98) EP (71) Applicant (for all designated States except US): CANAL+ SOCIETE ANONYME [FR/FR]; 85/89, quai André Citroën, F-75711 Paris Cedex 15 (FR). (72) Inventors; and (75) Inventors/Applicants (for US only): HAMERY, Dominique [FR/FR]; 3, parc de la Bérengère, F-92210 Saint Cloud (FR). MERIC, Jérôme [FR/FR]; 55, rue de Meaux, F-60300 Senlis (FR). (74) Agents: COZENS, Paul, Dennis et al.; Mathys & Squire, 100 Grays Inn Road, London WC1X 8AL (GB).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published With international search report.	

(54) Title: PROCESSING OF GRAPHICAL DIGITAL PICTURE DATA IN A DECODER

(57) Abstract

A decoder (13) for a digital audiovisual transmission system, the decoder (13) comprising a general processor (20) for decompressing compressed digital picture data and a graphic processor means (36) for preparing the decompressed data for display, characterised in that the general processor (20) is adapted to decompress and store an image file in its substantially original format and subsequently to convert the image file to at least a second format for storage and display, the first and second format versions of the image file being stored contemporaneously in a memory (20) of the decoder.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon	KR	Republic of Korea	PL	Poland		
CN	China	KZ	Kazakstan	PT	Portugal		
CU	Cuba	LC	Saint Lucia	RO	Romania		
CZ	Czech Republic	LI	Liechtenstein	RU	Russian Federation		
DE	Germany	LK	Sri Lanka	SD	Sudan		
DK	Denmark	LR	Liberia	SE	Sweden		
EE	Estonia			SG	Singapore		

PROCESSING OF GRAPHICAL DIGITAL PICTURE DATA IN A
DECODER

5 The present invention relates to a decoder for a digital audiovisual transmission system, the decoder comprising a processor means for decompressing and displaying compressed digital picture data and memory means.

10 Broadcast transmission of digital data is well-known in the field of pay TV systems, where scrambled audiovisual information is sent, usually by a satellite or satellite/cable link, to a number of subscribers, each subscriber possessing a decoder capable of descrambling the transmitted program for subsequent viewing. Terrestrial digital broadcast systems are also known. Recent systems have used the broadcast link to transmit other data, in addition to or as well as audiovisual data, such as computer programs or interactive applications.

15 In the most basic level of functionality of such systems, digital audio and video data relating to the televised program is transmitted in a compressed format, for example, in accordance with the MPEG-2 compression standard. The decoder receives and decompresses this data in order to regenerate the televised program.

20 In addition to simple televised program data, it is becoming increasingly common for the decoder to be required to handle other compressed image or graphic data. For example, in the case where the decoder includes web browser capabilities, the processor of the decoder may be required to receive and decompress downloaded digital picture data, for example, still video pictures, graphic icons, moving computer generated images etc. This picture information may be displayed over the normal televised program images.

25 Such still or moving picture data may be typically received in one of any number of compressed formats that are currently used in the context of PC based web browsers. For example, a picture may be formatted and compressed according to the well-known GIF or PNG standards, where an image is described by a colour look-up table defining

30

-2-

a table of colours and a matrix of pixel values referring to this table, the matrix data being compressed according to a known compression procedure to prepare the GIF/PNG picture. Alternatively, the picture may be formatted and compressed as a still MPEG or JPEG image, in which each pixel is directly associated with a red/green/blue colour value.

The graphic processor used by a decoder to prepare the images for display is normally adapted to process such images once they have been decompressed and converted by the general processor into image files in one or more predetermined pixmap formats.

For example, the graphic processor may be adapted to display image files submitted in the CLUT4 or CLUT8 formats, in which the principle of a look-up table is adhered to, or in the RGB format, in which each pixel has a RGB value.

These pixmap image file formats reflect the pixel composition of the original image and are distinct from, although closely related to, the compression formats referred to above. GIF/PNG pictures decompress to form a pixmap image file with a look-up table and JPEG/MPEG image files decompress to pixmap files without such a table.

In a PC environment, the processor power and memory space available means that a number of picture files compressed according to different formats may be received, decompressed and displayed concurrently, the graphic processor within a PC being adapted to easily handle multiple formats. In contrast, in a decoder environment, the memory and processor power available are considerably more limited, the graphic processor also having to handle at least the MPEG data associated with the televised transmission. In such a case, it may not be possible to convert and display image files in a plurality of formats.

For example, in the case of an original image formatted in an RGB format and compressed with the JPEG algorithm, the main processor of the decoder may simply decompress and store this image file (and, indeed, all subsequently received image files) in a fixed CLUT format. In this way, the graphic processor will only have to handle one type of image file. Whilst this method enables the decoder to effectively

-3-

handle multiple format data, there may be an unnecessary loss of image quality. For example, if no other image file is being handled by the graphic processor, it may not be necessary to impose a fixed converted image file format.

- 5 It is an object of the present invention to overcome these disadvantages of the prior art.

According to the present invention there is provided a decoder for a digital audiovisual transmission system, the decoder comprising a processor for decompressing and
10 displaying compressed digital picture data and a memory, characterised in that the processor is adapted to decompress and store an image file in its substantially original format and subsequently to convert the image file to at least a second format for storage and display, the first and second format versions of the image file being stored contemporaneously in the memory.

15

The decompression and storage of the original format version of the compressed image enables the decoder thereafter to generate alternate format image files to be sent to the processor for display according to the current capacity and operation of the graphics processor.

20

For example, in the event that the original image is in a "true colour" or RGB format and the load and operation of the graphics processor permits display in this format, the image may be decompressed and displayed substantially "as is", that is, an image file without look-up table. Nevertheless, a decimation of the number of bits associated
25 with each pixel may be carried out to change the resolution whilst substantially maintaining same format. Equally, in the case of a picture compressed with a look-up table (GIF/PNG), the same look-up table will be stored and referred to in the display of the image.

- 30 If a display cannot be effected using the original format, the processor may convert the image file to a different format for display, the original file being nevertheless kept for future use. In this way, the present invention enables the highest quality display

to be effected at any time within the memory and processing constraints of the decoder at that moment.

5 In one embodiment, the processor is adapted to convert the image file into a plurality of formats stored contemporaneously with the original version in a memory of the decoder.

10 Preferably, the processor is adapted to read and display multiple format versions of an image file stored at that time. For example, the processor may be adapted to display the same image twice in two different screen windows and according to the two different formats used in the windows.

15 In particular, the processor may be adapted to define a plurality of regions in a graphic layer corresponding to a region of the display, each region being defined in part by a location co-ordinate and by the format version of the image files that may be processed by the processor and displayed in this region.

20 This division of the screen area into format areas is particularly characteristic of the decoder environment. For example, one region within the graphic layer may correspond to a region where image files in a particular CLUT format may be displayed, whilst another region may be associated with image files in an RGB format.

25 In such a realisation, the processor is preferably adapted to convert an original image file destined to be displayed in a region into a version corresponding to the format version currently used in that region. For example, where an RGB original format image is to be displayed in the same region where a CLUT format image is already being displayed, the processor will convert the image into the appropriate CLUT format for display.

30 In one embodiment, the processor is adapted to process images in the graphic layer superimposed over real-time audiovisual digital data and corresponding to one or more layers displayed on the screen beneath the graphic layer. Images in the graphic layer

may equally be displayed by the processor superimposed over other types of image file data displayed in layers beneath the graphic layer.

5 In one embodiment, the processor is adapted to decompress picture data sent in a compression standard that uses a look-up table, for example, the GIF or PNG standard. In addition or alternatively, the processor is adapted to decompress picture data sent in a standard that uses a red/green/blue colour value associated with each pixel, for example, MPEG or JPEG.

10 As discussed above, the advantage of the two-step decompression and conversion process used in the present invention lies in the ability to process the original format image file in any number of ways. In some circumstances, however, it may be desirable to use a fixed format for all image data.

15 Therefore, in one preferred embodiment of the invention, the processor is further adapted to directly decompress picture data regardless its compression format into a image file of a predetermined format.

20 In particular, the processor may be further adapted to directly decompress picture data into a format which uses a colour look-up table, for example, the CLUT4 or CLUT8 format. In addition, or alternatively, the processor may be further adapted to directly decompress picture data into a format which uses a red/green/blue colour value associated with each pixel, for example the RGB16 format.

25 All functions of decompression and display of data may be integrated in a single processor. Alternatively, the processor may comprise at least a general processor and a graphic processor for handling decompression and display, respectively.

30 Similarly, the memory used to store the first and second format versions may not necessarily correspond to a single memory unit, such as a RAM or a FLASH, but may correspond to one or more memory areas allocated for this purpose by a controlling application and divided between one or more physical memory devices.

-6-

The present invention has been discussed in relation to a decoder apparatus. The present invention equally extends to a method of digital image processing within such a decoder, corresponding to the general and preferred aspects of the invention discussed above.

5

In the context of the present application the term "digital audiovisual transmission system" refers to all transmission systems for transmitting or broadcasting primarily audiovisual or multimedia digital data. Whilst the present invention is particularly applicable to a broadcast digital television system, the present invention may equally
10 be used in filtering data sent by a fixed telecommunications network for multimedia internet applications etc.

Similarly, the term "decoder" is used to apply to an integrated receiver/decoder for receiving and decrypting an encrypted transmission, the receiver and decoder elements
15 of such a system as considered separately, as well as to a receiver capable of receiving non-encrypted broadcasts. The term equally covers decoders including additional functions, such as web browsers, together with decoders integrated with other devices, for example, integrated VHS/decoder devices, digital televisions or the like.

20 The term MPEG refers to the data transmission standards developed by the International Standards Organisation working group "Motion Pictures Expert Group" and notably the MPEG-2 standard developed for digital television applications and set out in the documents ISO 13818-1, ISO 13818-2, ISO 13818-3, and ISO 13818-4. In the context of the present patent application, the term includes all variants,
25 modifications or developments of the basic MPEG formats applicable to the field of digital data transmission.

There will now be described, by way of example only, a preferred embodiment of the present invention, with reference to the attached figures, in which:

30

Figure 1 shows an overview of a digital television system;

Figure 2 shows the elements of the receiver/decoder of Figure 1;

Figure 3 shows in layer form the image data processed by the graphic processor of Figure 2;

5

Figure 4 shows in detail the graphic layer of Figure 3; and

Figure 5 shows the decompression and conversion steps carried out in a number of cases on compressed image data.

10

An overview of a digital television system 1 according to the present invention is shown in Figure 1. The invention includes a mostly conventional digital television system 2 that uses the known MPEG-2 compression system to transmit compressed digital signals. In more detail, MPEG-2 compressor 3 in a broadcast centre receives a digital signal stream (typically a stream of video signals). The compressor 3 is connected to a multiplexer and scrambler 4 by linkage 5.

15

The multiplexer 4 receives a plurality of further input signals, assembles the transport stream and transmits compressed digital signals to a transmitter 6 of the broadcast centre via linkage 7, which can of course take a wide variety of forms including telecommunications links. The transmitter 6 transmits electromagnetic signals via uplink 8 towards a satellite transponder 9, where they are electronically processed and broadcast via notional downlink 10 to earth receiver 12, conventionally in the form of a dish owned or rented by the end user. The signals received by receiver 12 are transmitted to an integrated receiver/decoder 13 owned or rented by the end user and connected to the end user's television set 14. The receiver/decoder 13 decodes the compressed MPEG-2 signal into a television signal for the television set 14.

20

25

Other transport channels for transmission of the data are of course possible, such as terrestrial broadcast, cable transmission, combined satellite/cable links, telephone networks etc.

30

-8-

In a multichannel system, the multiplexer 4 handles audio and video information received from a number of parallel sources and interacts with the transmitter 6 to broadcast the information along a corresponding number of channels. In addition to audiovisual information, messages or applications or any other sort of digital data may be introduced in some or all of these channels interlaced with the transmitted digital audio and video information.

A conditional access system 15 is connected to the multiplexer 4 and the receiver/decoder 13, and is located partly in the broadcast centre and partly in the decoder. It enables the end user to access digital television broadcasts from one or more broadcast suppliers. A smartcard, capable of deciphering messages relating to commercial offers (that is, one or several television programmes sold by the broadcast supplier), can be inserted into the receiver/decoder 13. Using the decoder 13 and smartcard, the end user may purchase commercial offers in either a subscription mode or a pay-per-view mode.

As mentioned above, programmes transmitted by the system are scrambled at the multiplexer 4, the conditions and encryption keys applied to a given transmission being determined by the access control system 15. Transmission of scrambled data in this way is well known in the field of pay TV systems. Typically, scrambled data is transmitted together with a control word for descrambling of the data, the control word itself being encrypted by a so-called exploitation key and transmitted in encrypted form.

The scrambled data and encrypted control word are then received by the decoder 13 having access to an equivalent of the exploitation key stored on a smart card inserted in the decoder to decrypt the encrypted control word and thereafter descramble the transmitted data. A paid-up subscriber will receive, for example, in a broadcast monthly ECM (Entitlement Control Message) the exploitation key necessary to decrypt the encrypted control word so as to permit viewing of the transmission.

An interactive system 16, also connected to the multiplexer 4 and the receiver/decoder

13 and again located partly in the broadcast centre and partly in the decoder, enables the end user to interact with various applications via a modem back channel 17. The modem back channel may also be used for communications used in the conditional access system 15. An interactive system may be used, for example, to enable the viewer to communicate immediately with the transmission centre to demand authorisation to watch a particular event, download an application etc.

Referring to Figure 2, the elements of the receiver/decoder 13 or set-top box adapted to be used in the present invention will now be described. The elements shown in this figure will be described in terms of functional blocks.

The decoder 13 comprises a central processor 20 including associated memory elements and adapted to receive input data from a serial interface 21, a parallel interface 22, a modem 23 (connected to the modem back channel 17 of Fig 1), and switch contacts 24 on the front panel of the decoder.

The decoder is additionally adapted to receive inputs from an infra-red remote control 25 via a control unit 26 and also possesses two smartcard readers 27, 28 adapted to read bank or subscription smartcards 29, 30 respectively. The subscription smartcard reader 28 engages with an inserted subscription card 30 and with a conditional access unit 29 to supply the necessary control word to a demultiplexer/descrambler 30 to enable the encrypted broadcast signal to be descrambled. The decoder also includes a conventional tuner 31 and demodulator 32 to receive and demodulate the satellite transmission before being filtered and demultiplexed by the unit 30.

Processing of data within the decoder is generally handled by the central processor 20. The software architecture of the central processor may correspond to that used in a known decoder and will not be described here in any detail. It may be based, for example, on a virtual machine interacting via an interface layer with a lower level operating system implemented in the hardware components of the decoder. In terms of the hardware architecture, the decoder will be equipped with a processor, memory elements such as ROM, RAM, FLASH etc. as in known decoders.

In the case of received audio and video signals, and as will be described in more detail below, the MPEG packets containing these signals will be demultiplexed and filtered so as to pass real time audio and video data in the form of a packetised elementary stream (PES) of audio and video data to dedicated audio and video processors or decoders 33, 34. The converted output from the audio processor 33 passes to a preamplifier 35 and thereafter via the audio output of the receiver/decoder. The converted output from the video processor 34 passes via a graphic processor 36 and PAL/SECAM encoder 37 to the video output of the receiver/decoder. The video processor may be of a conventional type, such as the ST 3520A of SGS Thomson.

10

The graphic processor 36 additionally receives graphic data for display (such as generated images etc) from the central processor 20 and combines this information with information received from the video processor 34 to generate a screen display combining moving images together with overlaid text or other images. An example of a graphic processor adapted to carry out this sort of operation is the CM 9310 of C-CUBE.

15

In the case of received teletext and/or subtitle data, the conversion of the real time PES data to generate the appropriate images may also be handled by dedicated processors. However, in most conventional systems, this is handled by the general processor 20.

20

In point of fact, many of functions associated with the elements such as the graphic processor 36, video decoder 34, central processor 20 etc. may be combined or divided out in a number of ways, e.g. to integrate the central and graphic processors in a single processor means etc.

25

Referring now to Figure 3, the functionality of the graphic processor 36 will now be described. As discussed above, the graphic processor receives and processes real time video data from the video decoder 34 together with graphic data received from the general processor 20 in order to generate an overlaid screen display.

30

-11-

As shown in Figure 3, the graphic processor 36 is adapted to process input data divided into four distinct layers; a background layer 40, an MPEG layer 41, a graphic layer 42 and a cursor layer 43. As will be understood, the background layer 40 corresponds to the lowest layer of the screen display, the other layers being progressively superimposed with varying degrees of translucency or opacity over this layer.

In the case where the decoder is configured to display a broadcast video signal, the background and MPEG layers 40, 41 correspond to the stream of data received from the video decoder 34, the layer 40 corresponding to MPEG still pictures received from the decoder 34 and the layer 41 corresponding to a moving video MPEG signal received from the decoder. The division of a video signal into a fixed and a changing part is a known characteristic of MPEG compression.

Other configurations of the decoder are possible, for example, where the background and MPEG layers 40, 41 are completed by picture data in any number of formats received from the processor 20. For example, in the case where the decoder is acting in web browser configuration, the processor 20 may supply still and/or moving picture data to complete the layers 40, 41. The layer 40 may equally correspond, for example, to a background colour and the layer 41 to one or more windows displayed over the background and containing, for example, information, moving icons or the like.

Still and moving image data from the background and MPEG layers 40, 41 are mixed together by the graphic processor 36, as represented by the element 44, and a combined output provided. Mixing of the MPEG layer information 41 over the background layer 40 by the graphic processor may be carried out using a so-called alpha blending factor to permit a greater or lesser degree of translucency of the pixels in the MPEG layer image. In the case of a moving video image received from the video decoder 34, the same blending factor is used for all pixels within the video sequence. In the case of picture data from the central processor 20, the value of the blending factor for the layer 41 may be different for different parts of the screen.

-12-

The graphic layer 42 is used for texts, shapes, icons etc that will be displayed on the screen over the images taken from the layers 40, 41, for example, to permit display of a moving icon or the like generated by the processor 20 over a real-time video sequence taken from the video decoder 34. As this embodiment of the present invention relates primarily to treatment of data in this layer, the characteristics of data in this layer will be described in more detail below in relation to Figure 4.

In a similar manner to the blending carried out for the layers 40, 41, the element 45 carries out a blending of the graphic layer 42 with the combined output of the layers 40, 41. As will be described, different regions within the graphic layer 42 may be assigned a different blending factor and a corresponding different level of translucency depending on the characteristics of the data within each region.

A final layer, the cursor layer, is shown at 43 and represents an opaque cursor image, generated by hardware under control of the central processor 20 and superimposed over all the previous layers. As shown at 46, this layer is combined with the summed output from the combination of all previous layers to generate a final combined output 47 sent to the encoder 37 for subsequent display. Unlike the previous layers, the cursor presents a continuously opaque appearance and is superimposed over the combined layers without any blending.

Turning now to Figure 4, the graphic layer is divided in operation into one or more rectangular regions 50, each region being defined by its width, its height, its display co-ordinate 51 and the colour system used within that region. Any pixel in the layer not belonging to a designated region, as shown at 52, is kept transparent. The display co-ordinate 51 is defined as the co-ordinate of the upper left hand corner of the region, as shown. The pixel size of all the regions is never more than the full screen resolution, that is, 720 X 576 for PAL, 720 X 480 for NTSC.

Concerning the colour system to be used in a region, the information provided to the graphic processor 36 to construct the layer is coded in pixmap form, each pixel being identified by a co-ordinate and a colour reference. In practice, a number of pixmap

-13-

formats may be handled by the graphic processor, such as:

CLUT4: 4 bits/pixel addressing a colour look-up table (CLUT) with 16 entries

5 CLUT8: 8 bits/pixel addressing a colour look-up table (CLUT) with 256 entries

RGB16: 16 bits/pixel specifying the red/green/blue mix for each pixel

10 In the case of the RGB16 format, a colour to be displayed is simply defined with reference to the preponderance of each of the primary colours red/green/blue used by the system to generate a colour.

15 In the case of a CLUT type format, each pixel includes a reference to a designated colour value in a look-up table. This colour in turn is defined by a 24 bit red/green/blue value eventually used by the system to generate a colour. A 6 bit alpha blending factor may also be associated with each colour value (see below).

20 As indicated above, the size of the look-up table and the number of colours available can vary, e.g. to define an image with reference to 16 or 256 colours. Equally, the colours defined within a look-up table can vary between tables, e.g. one table defining more colours in a certain part of the spectrum than in another part. Before display of a region, the look-up table is loaded into the graphic processor.

25 The graphics processor 36 may resize in real time each region and move horizontally and vertically a region on the screen, on the condition that there is no overlapping between regions. Additionally, as mentioned above, each region may be blended independently with the layers below using a particular alpha blending factor. In the case of each of the formats, the following possibilities exist:

30 CLUT4: A global 6 bit alpha blending factor applied throughout the region OR each colour entry in the table has a 6 bit alpha blending factor. One colour value may be transparent.

CLUT8: A global 6 bit alpha blending factor applied throughout the region OR each colour entry in the table has a 6 bit alpha blending factor. One colour value may be transparent.

5

RGB16: A global 6 bit alpha blending factor applied throughout the region.

The pixmap formats discussed above are distinct from the compressed multimedia formats conventionally used to transmit the images eventually to be displayed in the graphic layer. For example, a picture to be displayed in one of the graphic regions may be compressed as an MPEG still picture, a JPEG format picture, a GIF format picture or a PNG format picture. In the following description the term "picture" will always be used to refer to image data in a compressed format.

15 The MPEG format has been described in the introduction in relation to the ISO developed standards. The JPEG and GIF standards are equally well-known multimedia formats, often found in images sent via the internet, whilst the PNG format is, at the time of writing, a more recent standard introduced as a competitor to the proprietary GIF standard. As will be discussed below, images received in the MPEG, 20 JPEG, GIF or PNG formats are decompressed by a routine within the processor 20 into one of the CLUT or RGB pixmap formats discussed above.

It will of course be understood that, whilst the description refers in this instance to specific display (or pixmap) formats and transmission (or compressed) formats, the present invention is in no way limited to the use of these particular formats.

In the case of GIF and PNG type formats, these compressed formats are based on original image files that include a look-up table. Direct decompression of a GIF or PNG compressed picture will result in an image in a CLUT pixmap format. However, 30 as will be discussed, a GIF or PNG picture may also be decompressed directly into the RGB pixmap format, for example. Similarly, whilst an MPEG/JPEG picture is compressed in an RGB mode, such that it may be directly decompressed into a 16 bit

RGB pixmap, there may be some circumstances in which it may be desired to transform the picture into a CLUT format.

Figure 5 represents schematically possible decompression and conversion steps that may be carried out by the general processor 20 on a received compressed GIF or PNG type picture according to this embodiment of the invention. Three types of decompression activated in response to three decompression commands, DECOMP_ORIGINAL, DECOMP_TO_CLUT and DECOMP_TO_RGB are shown. The decompression steps are illustrated in relation to a CLUT formatted picture, but similar decompression steps may also be effected in respect of JPEG and MPEG still pictures in response to the same commands.

DECOMP_ORIGINAL. A received GIF/PNG picture 60 is shown, comprising a look-up table CLUT indicated at 61 and pixel ID data $f(ID)$ defining colour values for each pixel in the image, as indicated at 62. In the uppermost decompression step 63, the picture in the transmitted file is decompressed and stored in memory in its substantially original format as shown at 65, i.e. in a CLUT mode with a set of pixel data 66 referring to its associated CLUT table 67.

The number of entries in the CLUT table (16 or 256) and the subsequent degree of colour resolution depends on the original format of the table. Similarly, the exact RGB bit value associated with each colour is defined by the CLUT table in question, which is preserved in an unchanged form.

In the present system, the resulting decompressed image is stored in memory. In a subsequent conversion step shown at 64, the image may be further converted into a second pixmap format 68, such as an alternative CLUT format, also stored in the system memory.

For example, an image comprising a 256 entry CLUT table may be converted into an image with a 16 entry CLUT table. Alternatively, one characteristic CLUT table may be transformed into a different CLUT table, with different RGB values associated with

-16-

some or all of the entries. At the same time as the transformation of the CLUT table, the pixel ID values will be transformed. The necessary algorithms to carry out these transformations will be known to one skilled in the art.

- 5 The advantage of this double decompression/conversion as compared to the other decompression steps described below will be understood in relation to the zoning of the graphic layer shown in Figure 4. In a PC environment, the size of the memory and processing capability of the PC means that many image windows, each having a particular CLUT table, may be opened. In this case, an image may always be directly
10 decompressed and displayed in its original format.

In contrast, in a decoder environment, memory and processor constraints lead to the arrangement of regions described above, in which each region 50 is associated with a particular pixmap format. In one example, one region may be associated with a
15 CLUT4 format, with a predetermined 16 entry look-up table held by one or more images already displayed in this region, whilst another region may be associated with CLUT8 format with another predetermined look-up table of 256 entries.

In the case of a new picture file defining, for example, an icon to be displayed in both
20 of these regions, the picture file will first be decompressed according to the DECOMP_ORIGINAL command to provide a file with the original CLUT table associated with this image. This original file, stored in memory, may then be reduced and converted to the CLUT4 format used by the first region, as well as to the CLUT8 format (with associated specific CLUT table value) used by the second region.
25 Further reconversions may effected at will on the original file.

In contrast, if the original picture file has never been decompressed, but has been immediately converted to a standard pixmap value used in one region (see below), it may not be possible to effectively reconvert the image in this format to a second
30 format associated with another region. For example, where a CLUT8 picture is simultaneously decompressed and converted into a standard CLUT4 format, there will be a loss of information associated with the image, rendering any reversion to a

CLUT8 format unreliable.

Nevertheless, in some circumstances it may be desirable to fix the end format of all
pixmap files in advance of conversion. In this case, the following commands may be
5 given to general processor.

DECOMP_TO_CLUT. With this command, the picture, whatever the format of the
original file (CLUT4, CLUT8, RGB) is decompressed at 69 and converted in a CLUT
format pixmap shown at 70. The resolution of the CLUT, as well as the RGB values
10 of each of its entries is imposed at the moment of decompression.

DECOMP_TO_RGB. With this command, the picture, whatever the format of the
original file (CLUT4, CLUT8, RGB) is decompressed at 71 and converted in a RGB
format pixmap shown at 72. The resolution of the RGB format is fixed at the moment
15 of decompression.

In the case of a picture originally in true colour or MPEG/JPEG format, the command
DECOMP_ORIGINAL will return a decompressed image in RGB. Although the
format of the decompressed file corresponds to the original (i.e. no look-up table), a
20 slight change of resolution may require a conversion from true colour to RGB16 to
be provided at the moment of encryption. The command DECOMP_TO_CLUT acting
on an MPEG/JPEG file will decompress and convert the picture into an image in
CLUT format, the resolution of the CLUT as well as the values of each of its entries
being imposed at the moment of decompression. The command DECOMP_TO_RGB
25 will have the same effect on the picture in this case as the command
DECOMP_ORIGINAL, that is, to decompress and convert the picture from true colour
to RGB16 format.

As will be understood, the decompression/conversion algorithms necessary to carry out
30 the above operations are known. However, the application of such algorithms to
create each of the stored files indicated above is not known in the context of decoder
technology. In particular, the decompression of a picture file to an original format file

-18-

which is stored and may be converted as desired is not known in this field.

Similarly, whilst the description refers to the use of the main or general processor chip to carry out the necessary decompression and conversion steps in addition to its other
5 tasks, these steps may also be carried out by a dedicated processor.


CLAIMS


1. A decoder for a digital audiovisual transmission system, the decoder comprising a processor for decompressing and displaying compressed digital picture data and a memory, characterised in that the processor is adapted to decompress and store an image file in its substantially original format and subsequently to convert the image file to at least a second format for storage and display, the first and second format versions of the image file being stored contemporaneously in the memory.
2. A decoder as claimed in claim 1 in which the processor is adapted to convert the image file into a plurality of formats stored contemporaneously with the original version in a memory of the decoder.
3. A decoder as claimed in claim 1 or 2 in which the processor is adapted to read and display multiple format versions of an image file stored at that time.
4. A decoder as claimed in any preceding claim in which the processor is adapted to define a plurality of regions in a graphic layer corresponding to a region of the display, each region being defined in part by a location co-ordinate and by the format version of the image files that are processed by the graphic processor and displayed in this region.
5. A decoder as claimed in claim 4 in which the processor is adapted to convert an original image file destined to be displayed in a region into a version corresponding to the format version currently used in that region.
6. A decoder as claimed in claim 4 or 5 in which the processor is adapted to process images in the graphic layer superimposed over real-time audiovisual digital data and corresponding to one or more layers displayed on the screen beneath the graphic layer.
7. A decoder as claimed in any preceding claim in which the processor is adapted to decompress picture data sent in a compression standard that uses a look-up table.

-20-

8. A decoder as claimed in any preceding claim in which the processor is adapted to decompress picture data sent in a standard that uses a red/green/blue colour value associated with each pixel.
- 5 9. A decoder as claimed in any preceding claim in which the processor is further adapted to directly decompress picture data regardless its compression format into a image file of a predetermined format.
- 10 10. A decoder as claimed in claim 9 in which the processor may be further adapted to directly decompress picture data into a format which uses a look-up table.
11. A decoder as claimed in claim 9 or 10 in which the processor may be further adapted to directly decompress picture data into a format which uses a red/green/blue colour value associated with each pixel.
- 15 12. A decoder as claimed in any preceding claim in which the processor comprises a general processor for decompressing digital picture data and a graphic processor for preparing the decompressed data for display.
- 20 13. A method of digital image processing in a decoder for a digital audiovisual transmission system, the decoder comprising a processor for decompressing compressed digital picture data and for preparing the decompressed data for display, characterised in that the processor decompresses and stores an image file in its substantially original format and subsequently converts the image file to at least a
- 25 second format for storage and display, the first and second format versions of the image file being stored contemporaneously in a memory of the decoder.
14. A decoder for a digital audiovisual transmission system substantially as herein described.
- 30 15. A method of digital image processing in a decoder for a digital audiovisual transmission system substantially as herein described.

Fig.1.










Fig.5.



INTERNATIONAL SEARCH REPORT

International Application No

PCT/IB 99/00280

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 H04N/52 G09G5/06

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 H04N G09G

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	PATENT ABSTRACTS OF JAPAN vol. 098, no. 006, 30 April 1998 & JP 10 042149 A (FUJI XEROX CO LTD), 13 February 1998 see abstract ---	1, 13
A	"LOOK-UP-TABLE CONFIGURATION" IBM TECHNICAL DISCLOSURE BULLETIN, vol. 37, no. 2B, 1 February 1994, page 471/472 XP000433915 ---	1-13
A	WO 96 19077 A (PHILIPS ELECTRONICS NV ; PHILIPS NORDEN AB (SE)) 20 June 1996 see abstract -----	1-13

☐

Further documents are listed in the continuation of box C.

☒

Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

29 April 1999

Date of mailing of the international search report

11/05/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Raeymaekers, P

INTERNATIONAL SEARCH REPORT

Information on patent family members

tional Application No

PCT/IB 99/00280

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9619077 A	20-06-1996	AU 701684 B	04-02-1999
		AU 4504096 A	03-07-1996
		BR 9506773 A	30-09-1997
		CA 2183257 A	20-06-1996
		CN 1145152 A	12-03-1997
		EP 0745307 A	04-12-1996
		JP 9509552 T	22-09-1997
<hr/>			